



NON-PROPRIETARY ASSAYS:

Advancing your molecule with speed

Navigating a robust regulatory environment, accelerating drug development, and accessing a breadth of technical expertise are all critical factors to the success of your molecule. Aliri provides a range of bioanalytical lab and bioanalysis imaging solutions. As a result, we will help you advance your molecule from discovery through clinical development and NDA approval, while being backed by a network of seasoned scientists and technical experts.



CUSTOMER SERVICE



SUPERIOR SCIENCE



REGULATORY LEADERSHIP

GAIN ACCESS TO OUR WIDE SELECTION OF NON-PROPRIETARY ASSAYS:

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
4-beta Hydroxycholesterol	Human Plasma	4.00–400 ng/mL	K ₂ EDTA
4-beta Hydroxycholesterol	Human Plasma	4.00–400 ng/mL	K ₂ EDTA
Abacavir	Human Plasma	10.00–2,000 ng/mL	K ₂ EDTA
Abiraterone	Human Plasma	0.200–200 ng/mL	K ₂ EDTA
Acetaminophen	Human Dried Blood Spot	50.00–30,000 ng/mL	Sodium Heparin
Acetaminophen	Human Plasma	50.00–30,000 ng/mL	Sodium Heparin
Acetaminophen	Human Urine	1.00–250 µg/mL	NA
Albuterol	Human Plasma	1.00–1,000 pg/mL	K ₂ EDTA
Aldosterone	Human Plasma	10.0–5,000 pg/mL	K ₂ EDTA
Aldosterone	Human Urine	0.200–200 ng/mL	K ₂ EDTA
Amprenavir	Human Plasma	10.00–10,000 ng/mL	K ₂ EDTA/K ₃ EDTA

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Apixiban	Human Plasma	5.00–1,000 ng/mL	K ₂ EDTA
Aripiprazole	Human Plasma	Human Plasma	K ₃ EDTA
Atazanavir	Human Plasma	1.00–1,000 ng/mL	K ₃ EDTA
Atazanavir	Human Plasma	10.00–5,000 ng/mL	K ₂ /K ₃ EDTA
Atazanavir	Human Plasma	25.00–5,000 ng/mL	K ₂ EDTA
Atazanavir	Human Plasma	10.00–10,000 ng/mL	K ₂ EDTA
Atorvastatin, para-Hydroxy Atorvastatin and ortho-Hydroxy Atorvastatin	Human Plasma	0.300–50.0 ng/mL	K ₂ EDTA
ATRIPLA™ (Tenofovir, Emtricitabine, Efavirenz)	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Bile Acids (11 acids)	Human Plasma	2.00–1,000 ng/mL/ 1.00–500 ng/mL/ 5.00–2,500 ng/mL	K ₂ EDTA
Bortezomib	Human Plasma	0.50–500 ng/mL	Sodium Heparin
Budesonide	Human Plasma	3.00–300 pg/mL	EDTA
Budesonide	Human Plasma	10.00–5,000 pg/mL	K ₂ EDTA
Buprenorphine	Human Plasma	25.00–10,000 pg/mL	K ₂ EDTA
Buprenorphine	Human Plasma	0.05–20.0 ng/mL	K ₃ EDTA
Bupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Bupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Bupropion, Hydroxybupropion	Human Plasma	0.05–2,500 ng/mL	K ₂ EDTA
Bupropion, Hydroxybupropion, Erythrohydrobupropion, Threo hydrobupropion	Human Plasma	1.00–1,000 ng/mL	Sodium Heparin
Capecitabine	Human Plasma	10.00–1,000 ng/mL	K ₂ EDTA
Capsaicin	Human Plasma	0.05–50.0 ng/mL	K ₂ EDTA
Clarithromycin	Human Plasma	Human Plasma	MSN
Clindamycin	Human Plasma	50–50,000 ng/mL	K ₂ EDTA
Cortisol	Human Urine	Human Urine	IND
Cortisol, 6beta-hydroxycortisol	Human Urine	1.00–400 ng/mL for Cortisol 2.50–1,000 ng/mL for 6beta-hydroxycortisol	NA
Cyclophosphamide	Human Plasma	20.0–10,000 ng/mL	K ₂ EDTA
Cyclosporin A	Human Whole Blood	5.00–2,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Cyclosporine	Human Whole Blood	2.0–2,000 ng/mL	K ₂ EDTA
Dabigatran	Human Plasma	1.10–550 ng/mL	K ₂ EDTA
Darunavir	Human Plasma	20.0–4,000 ng/mL	K ₂ EDTA
Darunavir	Human Plasma	10.0–10,000 ng/mL	K ₂ EDTA
Dexamethasone	Human Plasma	0.250–250 ng/mL	K ₂ EDTA
Dextromethorphan	Human Plasma	1.00–500 ng/mL	K ₂ EDTA
Dextromethorphan	Human Urine	1.00–500 ng/mL	NA
Dextromethorphan	Human Urine	1.00–500 ng/mL	NA
Dextrorphan	Human Urine	50.0–25,000 ng/mL	NA
Dextrorphan	Human Plasma	1.00–500 ng/mL	K ₂ EDTA

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Dextrophan	Human Urine	1.00–500 ng/mL	NA
Diclofenac	Human Plasma	0.10–100 ng/mL	Sodium Heparin
Diclofenac	Human Plasma	10.00–2,000 ng/mL	K ₂ EDTA
Digoxin	Human Plasma	100–50,000 pg/mL	K ₂ EDTA
Digoxin	Human Urine	1.00–100 ng/mL	NA
Docetaxel	Human Plasma	10.00–10,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Doxorubicin	Human Plasma	5.00–1,000 ng/mL	K ₂ EDTA
Doxorubicin / Doxorubicinol	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Doxorubicinol	Human Plasma	2.00–400 ng/mL	K ₂ EDTA
Efavirenz	Human Plasma	10.0–2,000 ng/mL	K ₂ EDTA
Efavirenz	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Emtricitabine	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Emtricitabine	Human Plasma	5.00–3,000 ng/mL	K ₂ EDTA
Entecavir	Human Plasma	0.0400–16.0 ng/mL	K ₂ EDTA
Erythrohydrobupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Erythrohydrobupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Esomeprazole	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Eszopiclone	Human Plasma	1.00–100 ng/mL	K ₃ EDTA
Etravirine	Human Plasma	2.00–400 ng/mL	K ₂ EDTA
Everolimus	Human Whole Blood	0.200–50.0 ng/mL	K ₂ EDTA
Famotidine	Human Plasma	1.00–500 ng/mL	K ₃ EDTA
Famotidine	Human Plasma	1.00–500 ng/mL	K ₃ EDTA
Fluconazole	Human Plasma	100–10,000 ng/mL	K ₃ EDTA
Fluconazole	Human Plasma	20.0–10,000 ng/mL	K ₂ EDTA
Fluoxetine	Human Plasma	0.100–50.0 ng/mL	K ₂ EDTA
Fluticasone propionate	Human Plasma	5.00–1,000 pg/mL or 5.00–500 pg/mL	K ₃ EDTA
Fluticasone propionate	Human Plasma	1.00–200 pg/mL	K ₂ EDTA
Fluticasone propionate	Human Plasma	3.00–300 pg/mL	K ₂ EDTA
Formoterol	Human Plasma	1.00–100 pg/mL	EDTA
Formoterol	Human Plasma	1.00–100 pg/mL	K ₃ EDTA
Furosemide	Human Plasma	10.0–10,000 ng/mL	K ₂ EDTA
Gemfibrozil	Human Plasma	Human Plasma	IND
Gemfibrozil	Human Plasma	50.0–50,000 ng/mL	K ₂ EDTA
Guanfacine	Human Plasma	0.0500–5.00 ng/mL	K ₂ EDTA
Hydrochlorothiazide	Human Plasma	1.00–200 ng/mL	K ₂ EDTA
Hydroxybupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Hydroxybupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Ibandronate	Human Plasma	0.100–50.0 ng/mL	K ₂ EDTA
Ibandronate	Human Plasma	0.200–200 ng/mL	K ₂ EDTA
Iohexol	Human Plasma	1.00–500 µg/mL	K ₂ EDTA

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Iohexol	Human Urine	2.00–1,000 µg/mL	NA
Irbesartan	Human Plasma	10.0–10,000 ng/mL	K ₂ EDTA
Irinotecan / SN-38	Human Plasma	5.00–2,500 ng/mL for Irinotecan and 1.00–500 ng/mL for SN-38	K ₂ EDTA
Itraconazole	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Itraconazole / Hydroxy Itraconazole	Human Plasma	2.00–1,000 ng/mL	K ₂ EDTA
Ketoconazole	Human Plasma	50.0–5,000 ng/mL	Sodium Heparin
Ketoconazole	Human Plasma	50.0–5,000 ng/mL	K ₂ EDTA
Ketoconazole	Human Plasma	50.0–5,000 ng/mL	K ₂ EDTA
Ketoconazole	Human Plasma	20.0–10,000 ng/mL	K ₂ EDTA
Lamivudine	Human Plasma	10.0–2,000 ng/mL	K ₂ EDTA
Lenalidomide	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Letrozole	Human Plasma	0.500–250 ng/mL	K ₂ EDTA
Lopinavir	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Losartan / Losartan Carboxylic Acid	Human Plasma	1.00–1,500 ng/mL	K ₂ EDTA
LTE4	Human Urine	2.00–500 pg/mL	NA
Maraviroc	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Mefenamic acid	Human Plasma	50.0–5,000 ng/mL	K ₃ EDTA
Memantine	Human Plasma	0.100–100 ng/mL	K ₃ EDTA
Mesalamine	MeCN Ext from HuP	2.00–2,000 ng/mL	K ₂ EDTA
Methadone/EDDP	Human Plasma	0.200–400 ng/mL	K ₂ EDTA
Methadone/EDDP	Human Urine	0.200–400 ng/mL	NA
Methotrexate	Human Plasma	1.00–500 ng/mL	NaEDTA
Methotrexate / 7-Hydroxymethotrexate	Human Plasma	1.00–500 ng/mL	K ₂ EDTA
Methotrexate / 7-Hydroxymethotrexate	Human Urine	1,000–50,000 ng/mL / 50.0–2,500 ng/mL	NA
Methyl-Prednisolone	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Midazolam / 1-Hydroxymidazolam	Human Plasma	0.200–10.0 ng/mL	EDTA/Lithium Heparin
Midazolam / 1-Hydroxymidazolam	Human Plasma	0.100–10.0 ng/mL	Na ₂ EDTA
Midazolam / 1-Hydroxymidazolam	Human Plasma	0.200–10.0 ng/mL	K ₂ EDTA
Midazolam and Fexofenadine	Human Plasma	0.100–300 ng/mL 2.00–6,000 ng/mL	K ₂ EDTA
Midazolam and α-Hydroxymidazolam	Human Plasma	0.100–100 ng/mL	K ₂ EDTA
Moexipril	Human Plasma	1.00–200 ng/mL	K ₂ EDTA
Montelukast and Montelukast 1,2-diol	Human Plasma	5.00–1,000 ng/mL	K ₂ EDTA
Morphine	Human Plasma	0.500–100 ng/mL	K ₂ EDTA
Morphine / Morphine-3β-D-glucuronide / Morphine-6β-D-glucuronide	Human Plasma	0.500–50.0 ng/mL / 10.0–1,000 ng/mL / 1.00–100 ng/mL	K ₂ EDTA
Morphine-6β-D-glucuronide	Human Plasma	2.50–500 ng/mL	K ₂ EDTA
Moxifloxacin	Human Plasma	25.0–5,000 ng/mL	K ₂ EDTA
Moxifloxacin	Human Plasma	25.0–5,000 ng/mL	Sodium Heparin

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Moxifloxacin	Human Plasma	25.0–5,000 ng/mL	Sodium Heparin
Mycophenolic acid	Human Plasma	2.50–2,500 ng/mL	K ₂ EDTA
Mycophenolic acid β-D-Glucuronide	Human Plasma	25.0–25,000 ng/mL	K ₂ EDTA
Naloxone	Human Plasma	0.00500–2.00 ng/mL	K ₃ EDTA
Naltrexone / Naltrexol	Human Plasma	0.0200–2.00 ng/mL / 0.500–50.0 ng/mL	K ₂ EDTA
Nelfinavir	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Nevirapine	Human Plasma	20.0–4,000 ng/mL	K ₂ EDTA
Nifedipine	Human Plasma	1.00–250 ng/mL	K ₂ EDTA
Nilotinib	Human Plasma	5.00–2,000 ng/mL	K ₂ EDTA
Nisoldipine	Human Plasma	50.0–10,000 pg/mL	K ₂ EDTA
Norbuprenorphine	Human Plasma	50.0–20,000 pg/mL	K ₂ EDTA
Norbuprenorphine	Human Plasma	0.100–40.0 ng/mL	K ₃ EDTA
Norethindrone/Ethinyl Estradiol	Human Plasma	50.0–15,000 pg/mL 5.00–1,500 pg/mL	K ₂ EDTA
Norfluoxetine aka Seproxetine	Human Plasma	0.100–50.0 ng/mL	K ₂ EDTA
Octreotide	Human Plasma	0.0500–20.0 ng/mL	K ₂ EDTA
Olanzapine	Human Plasma	0.250–100 ng/mL	K ₂ EDTA
Omeprazole	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Omeprazole / 5-Hydroxy Omeprazole	Human Plasma	10.0–1,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Paclitaxel	Human Plasma	10.0–2,000 ng/mL	K ₃ EDTA
Pramipexole	Human Plasma	50.0–5,000 pg/mL	K ₃ EDTA
Pramipexole	Human Plasma	25.0–2,500 pg/mL	K ₂ EDTA/K ₃ EDTA
Prednisone	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Pregabalin	Human Plasma	50.0–20,000 ng/mL	K ₂ EDTA
Prenisolone	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
R,S-Methadone	Human Plasma	0.500–100 ng/mL	K ₃ EDTA
R,S-Methadone	Human Plasma	5.00–1,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Raltegravir	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Raltegravir	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Raltegravir II	Human Plasma	10.0–10,000 ng/mL	K ₂ EDTA
Ramelteon	Human Plasma	0.0500–8.00 ng/mL	K ₂ EDTA
Ribavirin	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Rifampin	Human Plasma	50.0–35,000 ng/mL	K ₂ EDTA and Sodium Fluoride/Potassium Oxalate
Rifampin	Human Plasma	100–10,000 ng/mL	K ₂ EDTA
Rifaximin	Human Plasma	0.100–10.0 ng/mL	K ₂ EDTA
Rilpivirine	Human Plasma	1.00–500 ng/mL	K ₂ EDTA
Riluzole	Human Dried Blood Spot	5.00–2,000 ng/mL	K ₂ EDTA
Riluzole	Human Plasma	5.00–2,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Risperidone / 9-Hydroxyrisperidone	Human Plasma	0.200–100 ng/mL	K ₂ EDTA

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Ritonavir	Human Plasma	1.00–1,000 ng/mL	K ₃ EDTA
Ritonavir	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Ritonavir	Human Plasma	10.0–5,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Rosiglitazone	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Rosuvastatin	Human Plasma	0.100–100 ng/mL	K ₂ EDTA
Rosuvastatin / Desmethyl Rosuvastatin / Rosuvastatin Lactone	Human Plasma	0.0200–20.0 ng/mL for Rosuvastatin 0.100–10.0 ng/mL for Desmethyl Rosuvastatin 0.0500–10.0 ng/mL for Rosuvastatin Lactone	K ₂ EDTA
R-Warfarin	Human Plasma	10.0–2,500 ng/mL	K ₂ EDTA
Salicylic Acid and Acetylsalicylic Acid	Human Plasma	25.0–25,000 ng/mL	Sodium Fluoride/ Potassium Oxalate
Salmeterol	Human Plasma	2.50–500 pg/mL	K ₃ EDTA
Salmeterol	Human Plasma	1.00–100 pg/mL	K ₂ EDTA
Salmeterol	Human Plasma	1.00–200 pg/mL	K ₂ EDTA
Saquinavir	Human Plasma	2.00–400 ng/mL	K ₂ EDTA
Scopolamine	Human Plasma	0.00200–2.00 ng/mL	K ₂ EDTA
Sertraline / N-desmethylsertraline	Human Plasma	0.250–100 ng/mL for Sertraline 0.500–100 ng/mL for N-desmethylsertraline	Sodium Heparin
Sildenafil and N-desmethyl sildenafil	Human Plasma	0.500–500 ng/mL	K ₂ EDTA
Stavudine	Human Plasma	5.00–1,000 ng/mL	K ₂ EDTA
S-Warfarin	Human Plasma	10.0–2,500 ng/mL	K ₂ EDTA
Tacrolimus	Human Whole Blood	50.0–10,000 pg/mL	K ₂ EDTA
Tacrolimus	Whole Blood	0.100–100 ng/mL	K ₂ EDTA
Tadalafil	Human Plasma	1.00–500 ng/mL	K ₃ EDTA
Telmisartan	Human Plasma	0.500–5,000 ng/mL	K ₃ EDTA
Temozolomide	Human Plasma	100–20,000 ng/mL	K ₂ EDTA
Tenofovir	Human Plasma	5.00–3,000 ng/mL	K ₂ EDTA
Tenofovir	Human Plasma	1.00–500 ng/mL	K ₂ EDTA/K ₃ EDTA
Threohydrobupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Threohydrobupropion	Human Plasma	1.00–1,000 ng/mL	K ₂ EDTA
Thromboxane B2	Human Serum	1.00–500 ng/mL	NA
Tiotropium	Human Plasma	1.00–500 pg/mL	K ₂ EDTA
Tiotropium	Human Plasma	0.500–500 pg/mL	K ₂ EDTA
Tolbutamide / 4-hydroxytolbutamide	Human Plasma	5.00–5,000 ng/mL	K ₂ EDTA
Total 4-beta hydroxycholesterol	Human Plasma	4.00–400 ng/mL	K ₂ EDTA
Total cholesterol	Human Plasma	500–5,000 µg/mL	K ₂ EDTA
Total Dabigatran	Human Plasma	1.10–550 ng/mL	K ₂ EDTA
Tramadol	Human Plasma	1.00–500 ng/mL	K ₂ EDTA

NON-PROPRIETARY ASSAYS (continued):

COMPOUND(S)	SPECIES MATRIX	VALIDATED RANGE	ANTICOAGULANT(S)
Valproic acid	Human Plasma	0.200-100 µg/mL	K ₂ EDTA
Valproic Acid aka valproate	Human Serum	1-100 µg/mL	NA
Valsartan	Human Plasma	50.0-10,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Vardenafil	Human Plasma	0.200-50.0 ng/mL	K ₂ EDTA/K ₃ EDTA
Vincristine	Human Plasma	0.500-100 ng/mL	K ₂ EDTA
Voriconazole	Human Plasma	5.00-5,000 ng/mL	K ₂ EDTA/K ₃ EDTA
Warfarin (R-) / Warfarin (S-)	Human Plasma	10.0-1,000 ng/mL	K ₃ EDTA
Zidovudine	Human Plasma	4.00-800 ng/mL	K ₂ EDTA